Synthesis and Characterization of new Schiff base ligand [(2-{1-[(2-hydroxy-benzylidene)-hydrazono]-ethyl} benzene-1, 3, 5-triol] and it's Complexes with Co (II), Ni (II), Cu (II), and Zn (II).

#### A. T. Numan

Department of Chemistry, College of Education, Ibn Al-Haitham, University of Baghdad

#### Abstract

The reaction of 2,4,6-trihydroxyactophenonemonohydrate with hydrazine monohydrate was realized under reflux in methanol and a few drops of glacial acetic acid were added to give the (intermediate) 2-(1-hydrazono-cthyl)-benzene-1.3,5-triol, which reacted with salicylaldehyde in methanol to give a new type (N<sub>2</sub>O<sub>2</sub>) ligand [H<sub>4</sub>L] [(2-{1-[(2-hydroxy-benzylidene)-hydrazono]-ethyl}benzene-1,3,5-triol. The ligand was reacted with Mcl<sub>2</sub> (where M=Co, Ni, Cu, and Zn) under reflux in methanol with (1:1) ratio to give complexes of the general formula [M (H<sub>2</sub>L)]. All compounds have been characterized by spectroscopic methods [¹H NMR, IR, U.V-Vis, HPLC, atomic absorption] microanalysis along with conductivity measurement. From the above data the proposed molecular structure for [Co (H<sub>2</sub>L)], [Cu (H<sub>2</sub>L)],

[Zn (H<sub>2</sub>L)] complexes may adopt a tetrahedral structure. While square planar geometry was suggested for Ni (III) complex.

## Introduction

Schiff bases and their coordination compounds play a great importance in medicine, industry and biochemistry(1). Schiff bases are characterized by the -N =CH- (imine) group which has a particular importance in elucidating the mechanism of transmaination rasemination reaction in biochemistry (2,3). During the past two decades, considerable attention has been paid to the chemistry of

 ${\mathcal G}_{\mathcal G}$ 

metal complexes of Schiff bases containing nitrogen and other donor atoms (4). This may be attributed to their stability, biological activity (5) and potential application in many fields such as oxidation catalysis (6) and electrochemistry (7). In 2003 Chafa and co-worker (8) prepared a Schiff bases ligand kind (N<sub>2</sub>O<sub>2</sub>) [4,4 -bis (salicylideneimino) diphenylethane (saldi ph<sub>2</sub>)], and its transition metal complexes with Cu<sup>(II)</sup>, Co<sup>(II)</sup>, and Cd of the complexes with cu<sup>(II)</sup>, Co<sup>(II)</sup>, and Cd of the characterization of new [(2-{1-[(2-hydroxy-benzylidene)-hydrazono]-ethyl)benzene-1,3,5-triol ligand and its Co<sup>(II)</sup>, Ni<sup>(II)</sup>, Cu<sup>(II)</sup>, and Zn<sup>(II)</sup> complexes.

The ligand was obtained from the reaction of 2, 4, 6-trihydroxyacetophenonemonohydrate with hydrazinemonohydrate in methanol to give an intermediate, which was converted to 2-(1-hydrazono-ethyl)-benzene-1,3,5-triol, by treating it with salicylaldehyde.

## Experimental

Reagents were purchased from Fluka and Rediel- Dehenge Chemical Co. I.R spectra were recorded as (KBr) discs using a Shimadzu 8400 s FTIR spectrophotometer in the range (4000-450) cm1. Electronic spectra of the prepared compounds were measured in the region (200-1100) nm for 10<sup>-3</sup>M solution in (MeOH) at 25 <sup>6</sup>C using a Shimadzu,160 spectrophotometer with 1.000+0.001 cm<sup>-1</sup> matched quartz cell. The chloride contents for complexes were determined by using potentiometric titration method, on (686 titro processor -665 dosimat-Metrohm Swiss). Elemental microanalyses were preformed on a (C.H.N) analyzer, model 1106 (Carlo-Erba), while metal contents of the complexes were determined by atomic absorption (A.A) technique using a Shimadzu A.A 680G atomic absorption spectrophotometer. Electrical conductivity measurements of the complexes were recorded at 25 °C of 10<sup>-3</sup> M solutions of the samples in (MeOH), using a (Wissenschaftlich -Technique Workstation. D1820 Weilheim LF 42). Nuclear magnetic resonance spectra <sup>1</sup>H NMR for the ligand (H<sub>4</sub>L) was recorded in DMSO-d<sup>6</sup> using a Brucker 400 MHz instrument with a tetrmethyl silane (TMS) as internal standard. The spectra was recorded at Queen Mary university of London ,England . The HPLC chromatograms of the complexes were obtained by using HPLC type shimadzu LC-6H (Koyoto-Japan). In this technique, the complexes were injected into a column of the type

(ODS-C<sub>18</sub>) using (70:30) methanol: water, isocratic system with flow rate (1ml/min) at 25°C. and wave length (254 nm).

## Preparation

Synthesis of the ligand [H<sub>4</sub>L]:

The ligand was prepared by two steps: Step (1)

Preparation of intermediate2-(1-hydrazono-ethyl)-benzene-1, 3, 5-triol, by treating 2, 4, 6-trihydroxyacetophenone monohydrate with hydrazine monohydrate as follows:

A solution of 2, 4, 6-trihydroxyacetophenonemonohydrate 0.5g,(2.685mmole) in methanol 5ml was added to hydrazine monohydrate 0.134g, (2.685mmole) 0.13mL dissolving in methanol 3mL, then 3 drops of CH<sub>3</sub>COOH was added slowly to the reaction mixture. The mixture was refluxed for 4 hours) with stirring. Then the mixture was allowed to cool at room temperature. A deep brown solid was obtained by evaporation of methanol during 24 hours. Yield (75%), 0.408g, 340°C dec.

Step (2)

Preparation of ligand [H<sub>4</sub>L] [(2-{1-[(2-hydroxy-benzylidene)-hydrazono]-ethyl} benzene-1, 3, 5-triol].

The solution of [2-(1-hydrazono-ethyl)-benzene-1, 3, 5 -triol (intermediate) 0.2g,(1.097mmole) in methanol 10mLwas added to salicylaldehyde 0.134g,(1.097mmole) 0.2mL. The reaction mixture was refluxed for 4 hours with stirring, filtered and the filtrate was allowed to dry at room temperature. A deep violet solid was obtained after evaporation of methanol during 48 hours. Yield (80%) 0.25g, 300°C dec.

## Synthesis of (H<sub>4</sub>L) complexes with metal ions: Synthesis of 1- [Cu (H<sub>2</sub>L] (1) complex:-

In 50 mL round bottom flask 0.1g,( 0.698mmole) of CuCl<sub>2</sub> .2H<sub>2</sub>O was suspended in 5mL methanol. A solution of 0.2g, (0.698mmole) of (H<sub>4</sub>L) in 6mL methanol was added to the mixture

above. Then 0.07 g, (0.698mmole) of KOH was dissolved in methanol was added to the mixture above. A stirred solution of, the resulting mixture was heated under reflux for 3 hrs. Then mixture was filtered and the precipitate was washed with an excess of methanol and dried at room temperature during 24 hours. A dark green solid was obtained. Yield (83%), 0.2g, (340°C) dec.

# Synthesis of [Co ( $H_2L$ )] (2), [Ni ( $H_2L$ )] (3), [Zn ( $H_2L$ )] (4) Complexes:-

The method used to prepare these complexes was similar to that mentioned in preparation of [Cu (H<sub>2</sub>L)] complex. Table (1) stated weight of starting materials, % yield and some physical properties of the prepared complexes.

# Study of complex formation in solution:

The molar ratio method was followed to study and to detect the ratio of metal ion to ligand of complex in solution, methanol was used as a solvent in this study. A series of solutions containing constant amount of metal and various amount of ligand of concentration (10  $^{\text{-}3}$  M) were prepared , the absorbance was measured at  $\lambda$  max for the complex , the relationship between the absorbance and [L]/[M] ratio was drawn to determine the [L]/[M] and the results were compared with those obtained for the solid state .

# Results and Discussion

The new ligand (H<sub>4</sub>L) was prepared in two steps according to the general method (9) shown in scheme (1)

2-{1-[(2-Hydroxy-benzylidenc)-hydrazono]-ethyl}-benzene-1,3,5-triol

# Scheme: (1) the synthesis route of the ligand (H<sub>4</sub>L)

The (I.R) spectrum of the ligand (H<sub>4</sub>L) fig (1) (Table 2) displays two bands at (1679) (CH<sub>3</sub>-C=N) group was appeared in the lower frequency at(1531), (1579), (1552), and (1575) cm<sup>-1</sup> showing reducing in bond order and (1608) cm<sup>-1</sup>, due to v( H-C=N) stretching vibrations respectively (10). The band at (3745) cm<sup>-1</sup> is due to the  $\gamma$ (O-H) stretching at (950) cm<sup>-1</sup> was assigned to the γ (N-N) (11). The

band at (3500) cm<sup>-1</sup> was assigned to γ (HO···H) hydrogen bonding (12).

The [U.V-Vis] spectrum of the ligand (H<sub>4</sub>L), fig (2) (Table 3) exhibits a high intense absorption peak at (280) nm and an intense peak at (320) nm, which assigned to  $(\pi \to \pi^*)$  and  $(n \to \pi^*)$  transition respectively.

The H NMR spectrum of the ligand (H<sub>4</sub>L), in DMSO-d<sup>6</sup> fig (4) shows the proton of (O-H) group which belongs to (ph-OH) of the ligand appearing as a singlet signal at (8.544) ppm The proton of (C-H) imine group appears as a singlet signal of (8.2198) ppm. The multiple signals at (7.3416), (7.2051), (7.0348) and (6.7042) PPM are due to aromatic hydrogen of carbon (C<sub>15</sub>), (C<sub>13</sub>), (C<sub>12, 14</sub> and (C<sub>3</sub>, C5) respectively (13), table (4).

The reaction of  $[H_4L]$  with  $[MCl_2.H_2O]$  where  $(M=Co^{II}, Ni^{II}, Cu^{II}$  and  $Zn^{II})$  was carried out in methanol under reflux resulted in the synthesis of the complexes.

These complexes are stable in solution and non electrolytes Table (3). The analytical and physical data Table (5) and spectral data (Table 2, 3) are compatible with the suggested structures. The (I.R) spectra of the complexes are presented in (Table 2). In general the (LR) spectra of the complexes show a broad band at (3490), (3491), (3489) and (3494) cm<sup>-1</sup>. They are due to γ (HO·····H) hydrogen bonding for compounds (1),(2),(3),(4) respectively(14).

The strong band at (1679) cm<sup>-1</sup> of imine group in free ligand [H<sub>4</sub>L] was shifted to lower frequency and appeared at (1618),(1624),(1625) and (1627) cm<sup>-1</sup> for the compounds (1),(2),(3) and (4) respectively(15). In the same way the shifting of (H-C=N) group was appeared in the lower frequency at (1531), (1579), (1552), and (1575) cm<sup>-1</sup> showing reducing in bond order

These bands were assigned to the  $\gamma$  (C=N) stretching of reduced bond order. This can be attributed to delocalization of metal electrons density at (t<sub>2</sub>g) in the  $\pi$  system of the ligand (HOMO  $\rightarrow$  LUMO) (16).

Where HOMO= highest occupied molecular orbital.

LUMO= lowest unoccupied molecular orbital.

The  $\gamma$  (N-N) band at (950) cm<sup>-1</sup> in the ligand (H<sub>4</sub>L) spectrum was shifted in the complexes (1),(2),(3) and (4) to higher frequency in the range (1008-1019) cm<sup>-1</sup>

The bands at (426),(462),(424) and (478) cm<sup>-1</sup> were assigned to y (M-O) for compounds (1),(2),(3) and (4), indicating that to the phenolic oxygen of the ligand is involved in coordination with metal ions (17).

The bands at (525),(528),(551) and (521) cm<sup>-1</sup> were assigned to γ (M-N) for compounds (1),(2),(3) and (4) respectively, indicating that the imine nitrogen is involved in coordination with metal ions (18), Figs (1a), (1b) and (1c) represented, the (LR) spectra of [Co (H<sub>2</sub>L], [Ni (H<sub>2</sub>L)], [Cn (H<sub>2</sub>L)] and [Zn (H<sub>2</sub>L)] respectively.

The (U.V-Vis) spectra for the complexes (1), (2), (3) and (4) are shown in fig (2a, 2b, 2c). The absorption data for complexes are given in Table (3),

In general, the spectra showed two intense peaks in the (U.V) region at (215,255),(256,326),(213,254) and (213,330)nm for compounds (1),(2),(3) and (4), these peaks were assigned to ligand filed. Resides that the spectra showed another peaks: two for complex (1) at (385) is due to the (C.T), while the second weak broad peak at (780) nm was assigned to (d-d) electronic transition  $(^2T_2 \rightarrow ^2)$ , suggesting tetrahedral geometry (19) fig (6a); two for complex (2) at (386) nm is due to the (C.T), while the second weak broad peak at (560) nm was assigned to  $(^2A_2 \rightarrow ^aT_1p)$  transition in a tetrahedral geometry (19); two for complex (3) at (330) nm is due to the (C.T), while the second weak broad peak at (640) nm was assigned to  $(^1A_1g \rightarrow ^1b_1g)$  transition in a square planar geometry (19) fig (6b). The complex (4) exhibited an additional weak peak at (385) nm was assigned to the (C.T), the geometry of complex is a tetrahedral.

The (HPLC) results of the complexes (2,3,4) are presented in (Table 3) and figs(4a) ,(4b) ,and (4c) respectively. The results exhibited one sharp absorption band at (Rt= 4.06 min), (Rt=4.34 min) and (Rt=4.04 min) respectively indicating that the complexes are pure, and appear as a single species in solution.

The molar conductance values were found in the range (10-16.34) (S.cm<sup>2</sup>.mole<sup>-1</sup>)

(Table 3) which indicates that the complexes are non -electrolytes (20). These were determined in (methanol) solution (10<sup>-3</sup> M)

The mole ratio M:I. was determination for some complexes. All the studied complexes (2), (3) and (4) for the ligand  $[H_4L]$  gave colored solutions in methanol. Figs (5a, 5b, 5c) show the change in optical density of the observed light with ratio  $L/M^{+n}$  at  $\lambda$  max for each complex. The results indicated that M: L(1:1) ratio were in

accordance with those obtained for there respective isolated solid complexes.

#### References

- Lau, K.Y.; Mayr, A. and Cheung, K.K. (1999). Inorg. Chim. Acta, 285:223 - 232.
- Shawali, A.S.; Harb, N.M.S. and Badahdah, K.O. (1985), J. Heterocylylic Chem. <u>22</u>: 1397-1403.
- Wu, J. C.; Tang, N.; Liu, W. S.; Tan; M. Y. and Chan, A. S. C. (2001). Chin. Chem. Lett. 12: 757-760
- Lu,C. M.; Xiong,R. G.; You, X. Z., Lio, Y.J. and Cheung,K. K. (1996), Polyhedron, 15: 4565-4571
- Djebbar, S. S.; Benali, B. O. and Deloume, J. P. (1998), Transit. Metal. Chem. 23: 443-447
- 6. Hamada, Y. J. (1997). IEEE Trans. Electron Devices, 44: 1208-1217
- 7. Burgess, A.R. (1952)U.S. (Pat) 2, 615, 860, (1953). Chem Abstr., 47, 303d,
- Parikh , V. M. (1985) . Absorption Spectroscopy of Organic Molecules, Translated by Abdul Hussain Khuthier , Jasim M. A. Al-Rawi , and Mahammed A. Al-Iraqi .
- Robert ,M. Silver Schtein , Bassler and Morrill , (1981) . Spectrophotometer Identification of Organic Compound"Translated by Dr. Hadi Khazem Awad , Dr. Fahad Ali Hussain and Subhi Al-Azawi , 5<sup>yh</sup> ed.
- 10. Spinner, E. (1959). Spectrochim Acta, 15, 95.
- 11. Raju, K. C. and Radhakrishnan ,P. K. (2003). synthesis and reactivity in inorganic and metal-organic chemistry, 33:(8) 1307-1318.
- 12. Nakomoto, k. (1996). "Infrared spectra of Inorganic and Coordination Compound" 4th ed., J. Wiely and Sons, New York, 8, 241.
- 13. El-Bindary, A. A.; Al-Shihri, A. S. El-Sonbati, A. Z. (2003). Designed Monomers and Polymers, 6(3): 283-298,
- 14. Ferrato, (1971). Low Frequency Vibration of Inorganic and coordination Compounds "Plenum, New York
- 15. Xishi Tai, Xianhong Yin, Qiang Chen, and Minyu Tan, (2003).

- Synthesis Of Some Transition Metal Complexes Of a Novel Schiff Base Ligand Derived From 2, 2-Bis (P\_Methoxyphenylamine) And Salicylicaldehyde, Molecules, 8, (439-440),
- 16 Pinchas, S. and Ben Ishai ,D. (1957). J. Amer Chem. Soc. , <u>79</u> :4099
- 17. Renzvani, Z.; Ahar, L. R.; Nejati, K. and Seyedahmadian, S. M. (2004), Acta Chem. Slov, 51:675-677.
- 18. Green wood, N. N. and Earnshow, A. (1998). J. Wiely and Sons Inc. New York
- 19. Lever, A. B. P. (1968). Inorganic Electronic Spectroscopy, new York., 6. 121,
- 20. Geary W. J. (1971). Coord. Chem. Rev; 7;81-115.

Table :(1) some of physical properties of the complexes and their reactants quantities

Compound	M.P C°	Colour	Weight of metal		Weight of	Yield%	Metal chloride	
			g	mmole	product	le.		
[Co (H <sub>2</sub> L)]	340	Dark	0.17	0.521	0.18	75	CoCl <sub>2</sub> .611 <sub>2</sub> O	
[CO (FigL)]	dec	brown	0.16				,	
[Ni (H <sub>2</sub> L)]	340	Dark	20.10	* ***	0.15	62	NiCl <sub>2</sub> .6H <sub>2</sub> O	
	dec	brown	0.16	0.434				
[Zn (H <sub>2</sub> L)]	340		WSUE	# <u>*</u>	7 (288) 25	58	ZnCl <sub>2</sub>	
	dec	brown	0.1	0.398	0,14			

dec = decomposition , M.p = meting point, g= gram

Table: (2) Infrared spectral data (wave number  $\acute{v}$ ) cm  $^{-1}$  for the ligand (H<sub>4</sub>L) and its complexes

Compounds	υ (CH <sub>2</sub> -C=N) υ (H-C=N)	υ(O-H)	u(OHH) hydrogen bunding	υ (C=C) arom.	υ(C-11) aroni.	9(N-N)	ν(C-O)	b(M-O)	u(M-N
H <sub>4</sub> L	1679 1608	3745	3500	        1550	3062	950	1120		
Cu( H[.L)]	1618 1531	3743	3494	1573	3078	1009	1151	424	54
[Cot Hall)]	1624 1579	3743	3490	1579	3128	1008	1152	426	55
[Ni( H.J.)]	1625 1552	3747	3491	1552	3055	1008	1153	462	52
[Zn( H,L)]	1627 1575	3747	3489	1575	3081	1009	1155	487	52

Table: (3) Electronic spectral data, HPLC and conductance measurement for the ligand  $(H_4L)$  and its metal complexes in methano

Compound	λ nm (L.mol <sup>-1</sup> .em <sup>-1</sup> )		Assignments	Rt Min.	(Am (S.em², Mole <sup>-1</sup> )	Ratio L/M <sup>+n</sup>
H <sub>4</sub> L	280	946	$\pi \rightarrow \pi^*$	Parketer extraction	*****	•
	320	411	n → π*	Ψ.		
	215	1241	Ligand field	a -2 -80	3	
[0.701.1.1]	255	754	Ligand field			( <u>0</u> 1100)( <u>0</u> 1
[Cu(H <sub>2</sub> L)]	385	111	C.T	4.06	16.32	1:1
	780	21	$^{2}T_{2} \rightarrow ^{2}E$			
[Co(H <sub>2</sub> L)]	256	672	Ligand field		14.56	=
	326	311	Ligand field	(44,4444)		
	386	151	C.T	-		
	560	102	$^{2}A_{2} \rightarrow ^{4}T_{1}p$		ĮŲ.	
[Ni(H <sub>2</sub> L)]	213	415	Ligand field Ligand field			
	254	201	120	3.34	10.88	夢
	330	78	$C.T$ ${}^{1}A_{1}g \rightarrow {}^{1}$			
	640	19	b <sub>i</sub> g			
[Zn(H <sub>2</sub> L)]	213	412	Ligand field			
	330	240	Ligand field	4.04	10	E
	385	16	C.T			

Table :(4)  $^{I}H$  NMR data for the ligand (H<sub>4</sub>L) measured in (DMSO-d<sup>6</sup>) and chemical shift in ( $\delta$  ppm)

Compound	Functional Group	δppm
	-ОН	8.5440 (s)
	C9-H	8.2198
	C <sub>15</sub> -H	7.3416
H₄L	C <sub>13</sub> –H	7.2051
11410	C <sub>12</sub> -H , C <sub>14</sub> -H	7.0348
	C <sub>3</sub> -H , C <sub>5</sub> -H	6.7042
	DMSO	2.5018
	C <sub>8</sub> -H <sub>3</sub>	1.7005

S= singl

Table :(5) Element analysis results and some physical properties of the ligand (H<sub>4</sub>L) and its metal complexes

Compounds	M.wt	Color	Yield%	M.P °C	found (Calc.)%					
					c	H	N	CI	Metal	
H <sub>4</sub> L	286.28	Decp-	80	340	(62.93)	(4.93)	(9.79)			
		violet		dec	60.81	3,77	8.33	\$ <b>531</b> 9	_	
[Cu(11 <sub>2</sub> L)]	347.81	dark-	83	340	(51.8)	(3.48)	(8.05)	Nil	(18.27)	
		green		dec	50.79	2.02	6.47		16.35	
[Co(H <sub>2</sub> L)] 3	343.20	Dark-	75	340	(52,49	(3.52)	(8.16)	Nil	(17.17)	
		brown		dec	50.13	2.99	7.48		15.04	
[Ni(H <sub>2</sub> L)]	342.96	Dark-	62	340	(52.53)	(3.53)	(8.17)	Nil	(17.11)	
		brown		dec	51.19	1.18	6.35		16.90	
[Zn(11 <sub>2</sub> L)] 349	349.66	Brown	58	340	(51,52)	(3.46)	(8.01)	Nil	(18.70)	
				dec	50.56	2.06	6.71		19.03	

dec = decomposition ,Calc =calculated, () =theoretical




Fig (1) Infrared spectrum of the ligand (H4L)



Fig-(1a) Infrared spectrum of the complex [Cu (H2L)]




Fig.(1b) Infrared spectrum of the complex [Co (H2L)]




Fig.(1c) Infrared spectrum of the complex [Ni (H2L)]




Fig.(1d) Infrared spectrum of the complex [Zn (H2L)]






Fig (2) Electronic spectrum of the ligand (H4L)




Fig (2a) Electronic spectrum of the [Cu (H2L1)]






Fig (2b)]Electronic spectrum of the [Co (H2L)]



Fig(2c)Electronic spectrum of the [Ni (H2L)]



Fig(2d)Electronic spectrum of the [Zn (H2L)]




Fig (3) <sup>1</sup>H NMR spectrum of the ligand (H<sub>4</sub>L)





Fig (4a) The (H.P.L.C) of the complex [Cu(H2L)]



Fig(4b)The (H.P.L.C) of the complex [Ni(H2L)




Fig (4c) The (H.P.L.C) of the complex [Zn (H2L)]




Fig (5a) the mole-ratio curve to complex [Cu ( $H_2L$ )] in solution  $(1 \times 10^{-3} \text{ mole. L}^{-1})$  at  $(\lambda = 385 \text{ nm})$ 




Fig (5b) the mole-ratio curve to complex [Ni (H<sub>2</sub>L)] in solution  $(1\times 10^{-3} \text{ mole.L}^{-1}) \text{ at } (\lambda=254 \text{ nm})$ 





Fig (5c) The mole-ratio curve to complex [Zn (  $H_2L$ )] in solution (1×10<sup>-3</sup> mole.L<sup>-1</sup>) at ( $\lambda$  = 330 nm)



مجلة ابن الهيثم للعلوم الصرفة والتطبيقية المجلد (3) 2008 تحضير وتشخيص ليكند جديد لقواعد شف -(2-hydroxy-benzylidene)[2-{1-[(2-hydroxy-benzylidene)] hydrazono]-ethyl} benzene-1, 3, 5-triol ومعقداته مع الايونات الفلزية

[Zn (n), Cu (n), Ni (n), Co (n)]

احمد ثابت نعمان

قسم الكيمياء ، كلية التربية ابن الهيثم ، جامعة بغداد

### الخلاصة

تضمن البحث تحضير الليكند

[[(2-{1-[(2-hydroxy-benzylidene)-hydrazono]-ethyl} benzene-1, 3, 5-triol

وذاك من مفاعلة 2,4,6-trihydroxy acetophenone monohydrate من مفاعلة المراحدة التصعيد الارجاعي في الميثانول وقطرات من hydrazine monohydrate 2-(1-hydrazono-ethyl) المناجي ، اذ اعطى التفاعل المادة الوسطية -(1-hydrazono-ethyl) تحت salicylaldehyde ومن خلال تفاعل المادة الوسطية مع benzene-1,3,5-triol تحت التصعيد الارجاعي في الميثانول ،اذ اعطى التفاعل الليكند [H4L] .ثم مفاعلة الليكانيد مع بعض العناصر الفلزية باستعمال الميثانول وسطا للتفاعل وبنسبة (1:1)،اذ تكونيت معقد دات جديدة تمثل في الميثانول الميثانول الميثانول الميثانول وسطا التفاعل العامدة العامدة العامدة [M(H2L]) اذ

M=Co (II), Ni (II), Cu (II), and Zn (II)

شخصت جميع المركبات بالطرائق الطيفية الآتية: ( الاشعة تحت الحمراءوالاشعة فوق البنفسجية المرئية و C.H.N و HPLC وطيف الرنين النووي المغناطيسي H NMR لليكند)، كذلك شخصت المركبات بوساطة ،التحليل الكمي الدقيق للعناصر مع التوصيلية المولارية الكهربائية ومحتوى الكلور .من نتائج البحث كان الشكل الفراغي المقترح لمعقدات الكوبلت الخارصين والنحاس رباعية السطوح، بينما الشكل الفراغي المتوقع لمعقد النيكل مربعا مستويا.