

CERAMBYCIDAE FROM THE KRUGER NATIONAL PARK—I

By

G. DA VEIGA FERREIRA

(*Instituto de Investigação Científica de Moçambique, Lourenço Marques*)

This paper is based on the material collected by Dr. L. VÁRI and collaborators, in the Kruger National Park. All the specimens belong to the collections of the Transvaal Museum.

Fam. *Cerambycidae*

Subfam. *Prioninae*

Tribe *Macrotomi*

Subtribe *Stenodontina*

Genus *Stenodontes* SERVILLE

SERVILLE, 1832, *Annls Soc. ent. Fr.* 1 : 172.

Subgenus *Mallodon* SERVILLE

SERVILLE, 1832, *Annls Soc. ent. Fr.* 1 : 176.

Mallodon downesi HOPE

Mallodon downesi HOPE, 1843, *Ann. Mag. nat. Hist.* 2 : 366.

Mallodon laevipenne WHITE, 1853, *Cat. Col. Brit. Mus.* 7 : 45.

Mallodon costipenne WHITE, 1853, *Cat. Col. Brit. Mus.* 7 : 45.

Mallodon proximum THOMSON, 1867, *Physis*, 1 : 97.

Mallodon miles DEJEAN, 1837, *Cat.* 3^e ed. : 342.

Punda Milia, 1/5-XII-1964, leg. VÁRI et POTGIETER (1 ♂).

Distr.—Africa.

Subtribe *Macrotomina*

Genus *Macrotoma* SERVILLE

Macrotoma SERVILLE, 1832, *Annls Soc. ent. Fr.* 1 : 137.

Metriotoma KOLBE, 1894, *Stettin. ent. Ztg.* 55 : 43.

Prionotoma KOLBE, 1894, *Stettin. ent. Ztg.* 55 : 43.

Macrotoma natala THOMSON

THOMSON, 1860, *Class. Céramb.* : 314.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (2 ♀ ♀); Malelane, 3/5-XII-1963, leg. L. VÁRI (1 sp.).

Distr.—Rhodesia, Northern Rhodesia, South Africa, Uganda, Abyssinie, Nyasaland, Kenya, Tanganyika, Old Belgian Congo.

Genus *Aulacopus* SERVILLE

SERVILLE, 1832, *Annl's Soc. ent. Fr.* 1 : 44.

Aulacopus natalensis WHITE

WHITE, 1853, *Cat. Col. Brit. Mus.* 7 : 34, t. 2, fig. 4.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (2♂♂, 1♀).

Distr.—Old Belgian Congo, Abyssinie, Tanganyika, Somalia, Bechuanaland, South Africa.

Subfam. *Cerambycinae*

Tribe *Asemini*

Genus *Alocerus* MULS.

Alocerus MULS., 1862, *Col. Fr. Long. ed.* 2 : 127.

Gramophthalmus KRAATZ, 1863, *Berl. ent. Z.* 7 : 99.

Alocerus bicolor (DIST.)

DISTANT, 1898, *Ann. Mag. nat. Hist.* 1 (7) : 369 (*Zamium*).

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (5 sp.).

Dist.—South Africa (Transvaal).

Tribe *Saphanini*

Genus *Zamium* PASCOE

PASCOE, 1864, *Journ. Ent.* 2 : 288.

Zamium laevicolle JORDAN

Zamium laevicolle JORDAN, 1904, *Novit. zool.* 11 : 364.

Parandroeme brunnea AURIVILLIUS, 1908, in SJÖSTEDT, *Ergebn. Exped. Kili-mandjaro* 7 : 141, fig. 1.

Holorusius perrieri FAIRMAIRE, 1898, *Annl's Soc. ent. Belg.* 42 : 250.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 sp.).

Distr.—South Africa, Rhodesia, Cameroun, Oubangui-Chari, Kenya, Madagascar, Tanganyika, Ivory Coast.

Tribe *Oemini*

Genus *Hypoeschrus* THOMSON

THOMSON, 1864, *Syst. Céramb.* : 249.

Hypoeschrus strigosus (GYLL.)

GYLL., 1817, in SCHÖNH., *Syn. Ins.* 3 : 179 (*Stenocorus*).

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (3♂♂, 1♀); Nyandu

Bush, 22-XI-1961, leg. L. VÁRI (1♀, T. M.).

Distr.—South Africa, Uganda, Mossambique, Sierra Leone, Guinee, Senegal.

Genus *Metallyra* THOMSON

THOMSON, 1864, *Syst. Céramb.* : 334.

Metallyra sulcipennis GAHAN

GAHAN, 1904, in DISTANT, *Insecta Transv.* : 109.
Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (1 sp.)
Distr.—South Africa (Transvaal), Kenya.

Genus *Coptoeme* AURIVILLIUS

AURIVILLIUS, 1904, *Ark. Zool.* 1 : 313.

Coptoeme krantzi (DISTANT)

Callidium krantzi DISTANT, 1898, *Ann. Mag. nat. Hist.* 1 (7) : 3.
Coptoeme krantzi DISTANT, 1904, *Insecta Transv.* : 110, t. 11, fig. 6.
Coptoeme oculata AURIVILLIUS, 1904, *Ark. Zool.* 1 : 314.
Punda Milia, 1/5-XII-1964, leg. VÁRI et POTGIETER (1 ♂).
Distr.—South Africa (Transvaal, Natal), Rhodesia, Mossambique, Tanganyika.

Genus *Xystrocera* SERVILLE

SERVILLE, 1834, *Annl. Soc. ent. Fr.* 3 : 69.

Xystrocera dispar FAHRAEUS

FAHRAEUS, 1872, *Öfvers. K. VetenskAkad. Förh.* 29 (1) : 49.
Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (7 ♂♂, 5 ♀♀); Pafuri,
1-XI-1964, leg. VÁRI et POTGIETER (2 ♀♀).
Distr.—Ivory Coast, Dahomey, South Africa (Transvaal, Natal, Orange Free
State), Mossambique, Rhodesia, Kenya.

Tribe *Cerambycini*

Genus *Plocaederus* THOMSON

THOMSON, 1860, *Classif. Céramb.* : 197.

Plocaederus frenatus FAHRAEUS

FAHRAEUS, 1872, *Öfvers. K. VetenskAkad. Förh.* 29 (1) : 51.
Shingwedzi, 19/20-XI-1961, leg. VÁRI et RORKE (1 ♂, 1 ♀); Punda Milia,
9/11-XII-1963, leg. VÁRI (1 ♂, 1 ♀), 21/23-XI-1961, leg. VÁRI et RORKE
(1 ♀, T.M.); Nyandu Bush, 22-XI-1961, leg. VÁRI et RORKE (1 ♂, T.M.);
Pafuri, 1-XII-1964, leg. L. VÁRI (1 ♂).
Distr.—Rhodesia, Mossambique, Old Belgian Congo, South Africa.

Genus *Derolus* GAHAN

GAHAN, 1891, *Ann. Mag. nat. Hist.* 7 (6) : 26.

Derolus arciferus (GAHAN)

GAHAN, 1891, *Ann. Mag. nat. Hist.* 7 (6) : 27, 30 (*Pachydissus*).
Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 ♀); Nyandu Bush
22-XI-1961, leg. VÁRI et RORKE (3 ♀♀).
It was known in Natal but not in Transvaal.
Distr.—Senegal, Ivory Coast, Tanganyika, Angola, South Africa (Natal, Trans-
vaal), Togo, Old Belgian Congo.

Derolus bruneipennis GAHAN

GAHAN, 1904, in DISTANT, *Insecta Transv.* : 113, t. 10, fig. 5.

Malelane, 3/5-XII-1963, leg. L. VÁRI (1 ♂); Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (2 ♂♂).

Distr.—South Africa, Rhodesia.

Derolus gyllenhali (FAHRAEUS)

Tapinolachus gyllenhali FAHRAEUS, 1872, *Öfvers. K. Vetensk.Akad. Förh.* 29 (1) : 52.

Tapinolachus oatesi OLLIF, 1889, in OATES, *Matabeleland*, ed. 2 : 378, t. 8, fig. 7.

Punda Milia, 1/5-XII-1964, leg. VÁRI et POTGIETER (2 ♀♀).

Distr.—South Africa, Bechuanaland, Mossambique, Rhodesia, Tanganyika, Kenya.

Genus *Dissaporus* AURIVILLIUS

AURIVILLIUS, 1907, *Ark. Zool.* 3 (18) : 8.

Dissaporus cylindricus (FAHRAEUS)

Aporus cylindricus FAHRAEUS, 1872, *Öfvers. K. Vetensk.Akad. Förh.* 29 (1) : 54.

Pachydissus pauper GAHAN, 1904, in DISTANT, *Insecta Transv.* : 113, t. 10, fig. 8.

Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (14 sp.).

Distr.—South Africa, Rhodesia.

Genus *Pachydissus* NEWMAN

NEWMAN, 1838, *Entom. Mag.* 5 : 494.

Pachydissus lineatus (GAHAN)

GAHAN, 1898, *Ann. Mag. nat. Hist.* 2 (7) : 41 (*Margites*).

Shingwedzi, 19/20-XI-1961, leg. VÁRI et RORKE (1 sp.).

Distr.—South Africa, Rhodesia, Bechuanaland, Mossambique, Kenya.

Tribe *Hesperophanini*

Genus *Hesperandrius* REITTER

REITTER, 1912, *Fauna Germ.* 4 : 44, 45.

Hesperandrius amicus (WHITE)

WHITE, 1855, *Cat. Col. Brit. Mus.* 8 : 304.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 sp.).

Distr.—South Africa, Rhodesia.

Genus *Zoodes* PASCOE

PASCOE, 1867, *Ann. Mag. nat. Hist.* 19 (3) : 319.

Zoodes liturifer WALK.

Zoodes liturifer WALK., 1871, *List Col. coll. by Lord Walk.* : 18.

Gnatholea denticollis FAIRMAIRE, 1891, *Anns Soc. ent. Fr.* 60 : 269.

Sitomatium hirsutum JORDAN, 1894, *Novit. zool.* 1 : 497.

Zoodes picicornis DISTANT, 1904, *Insecta Transv.* : 114, t. 9, fig. 3.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (5 ♂♂, 1 ♀);

Shingwedzi, 19/21-XI-1961, leg. VÁRI et RORKE (3 ♂♂, 1 ♀);

Punda Milia, 9/11-XII-1963, leg. L. VÁRI (1 ♂, 1 ♀); Nyandu Bush,

22-XI-1961, leg. VÁRI et RORKE (1 ♀).

Distr.—South Africa, South West Africa, Mossambique, Rhodesia, Senegal, Sudan, Arabia, Zanzibar.

Genus *Cidugala* AURIVILLIUS

AURIVILLIUS, 1908, *Ark. Zool.* 4 (17) : 1.

Cidugala grisea AURIVILLIUS

AURIVILLIUS, 1908, *Ark. Zool.* 4 (17) : 42.

Punda Milia, 9/11-XII-1963, leg. L. VÁRI (2 ♂♂, 1 ♀).

Unknown in Transvaal. Very scarce.

Distr.—Tanganyika, South Africa (Transvaal, Natal).

Tribe *Phoracanthini*

Genus *Cordylomera* SERVILLE

SERVILLE, 1834, *Anns Soc. ent. Fr.* 3 : 23.

Cordylomera annulicornis FAIRMAIRE

FAIRMAIRE, 1892, *Rev. Ent.* 11 : 122.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (2 ♂♂); Pafuri,

1-XII-1954, leg. VÁRI et POTGIETER (8 ♂♂, 3 ♀♀).

Distr.—Kenya, Rhodesia, South West Africa, South Africa, Somalia.

Cordylomera elegans DISTANT

DISTANT, 1904, *Insecta Transv.* : 115, t. 10, fig. 6.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 ♂).

Distr.—South Africa, Rhodesia.

Cordylomera schoenherri FAHRAEUS

FAHRAEUS, 1872, *Öfvers. K. VentenskAkad. Förh.* 29 (1) : 53.

Punda Milia, 9/11-XII-1963, leg. L. VÁRI (2 ♂♂, 3 ♀♀), 21/23-XI-1961,

leg. VÁRI et RORKE (4 ♂♂, 1 ♀); Pafuri, 1-XII-1964, leg. VÁRI et

POTGIETER (1 sp.).

Distr.—South Africa.

Cordylomera zambeziana PÉRINGUEY

PÉRINGUEY, 1855, *Trans. S. Afr. phil. Soc.* 3 : 146.

Punda Milia, 9/11-XII-1963, leg. L. VÁRI, (1 ♂), 21/23-XI-1961, leg. VÁRI

et RORKE (1 ex.); Shingwedzi, 19/20-XI-1961, leg. VÁRI et RORKE (9 sp.);

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 ♂, 1 ♀); Pafuri, 1-1964, leg. VÁRI et POTGIETER (3 ♂ ♂, 3 ♀ ♀).

Distr.—South Africa (Transvaal), Rhodesia, Tanganyika, Nyasaland, Bechuanaland, Northern Rhodesia, Mossambique.

Tribe *Obrini*

Genus *Ossibia* PASCOE

Ossibia PASCOE, 1867, *Ann. Mag. nat. Hist.* 19 (3) : 311.

Acathartus FAHRAEUS, 1872, *Col. H.* 10 : 194.

Adiaphorus FAHRAEUS, 1872, *Öfvers. K. VetenskAkad. Förh.* 29 (1) : 55.

Obriaccum THOMSON, 1878, *Rev. Mag. Zool.* 6 (3) : 23.

Ossibia fuscata CHEVROLAT

Ossibia fuscata CHEVROLAT, 1856, *Rev. Mag. Zool.* 8 (2) : 570.

Ossibia crinita FAHRAEUS, 1872, *Öfvers. K. VetenskAkad. Förh.* 29 (1) : 55.

Obriaccum senegalensis THOMSON, 1878, *Rev. Mag. Zool.* 6 (3) : 24.

Nyandu Bush, 22-XI-1961, leg. VÁRI et RORKE (10 sp.); Shingwedzi, 19/20-XI-1961, leg. VÁRI et RORKE (9 sp.); Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (6 sp.); Punda Milia, 21/23-XI-1961, leg. VÁRI et RORKE (1 sp.).

Distr.—Rhodesia, South Africa, Swaziland, South West Africa, Senegal, Portuguese Guinee, Sierra Leone, Kenya, Tanganyika.

Tribe *Molorchini*

Genus *Merioneda* PASCOE

Merioneda PASCOE, 1858, *Trans. R. ent. Soc. Lond.* 4 (2) : 238.

Oxycoleus LACORDAIRE, 1869, *Gen. Col.* 8 : 484.

Stenoptrellus BATES, 1870, *Trans. E. ent. Soc. Lond.* : 314.

Merioneda africana DISTANT

DISTANT, 1899, *Ann. Mag. nat. Hist.* 3 (7) : 461.

Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (1 sp.).

Distr.—Rhodesia, South Africa (Transvaal).

Tribe *Callichromini*

Genus *Compsomera* WHITE

WHITE, 1853, *Cat. Col. Brit. Mus.* 7 : 152.

Compsomera elegantissima WHITE

WHITE, 1853, *Cat. Col. Brit. Mus.* 7 : 152, t. 4, fig. 7.

Punda Milia, 1/5-XII-1964, leg. VÁRI et POTGIETER (1 ♂); Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (2 ♂ ♂, 8 ♀ ♀).

Distr.—South Africa, Rhodesia, Bechuanaland, Mossambique, Kenya, South West Africa.

Tribe *Clytini*

Genus *Plagionotulus* JORDAN

JORDAN, 1894, *Novit zool.* 1 : 188.

Plagionotulus westringi FAHRAEUS

Plagionotulus westringi FAHRAEUS, 1891, Öfvers. K. VetenskAkad. Förh. 29 (10) : 66.

Plagionotulus cinereus JORDAN, 1894, Novit zool. 1 : 189.

Letaba Camp, 14/18-XI-1961, leg. VÁRI et RORKE (1 sp.); Pafuri, 1-XII-1964, leg. VÁRI et POTGIETER (1 sp.).

Distr.—Old Belgian Congo, South Africa (Transvaal, Natal), Mossambique.

Tribe Cleomenini

Genus *Dere* WHITE

WHITE, 1855, Cat. Col. Brit. Mus. 8 : 248.

Dere nigrita GAHAN

GAHAN, 1904, in DISTANT, *Insecta Transv.* : 124, t. 2, fig. 22.

Shingwedzi, 19/20-XI-1961, VÁRI et RORKE (17 sp.).

Distr.—South Africa (Transvaal).

Tribe Stenaspini

Genus *Purpuricenus* GERM.

Purpuricenus GERM., 1824, *Ins. Spec. nov.* : 500.

Acanthoptera LATREILLE, 1829, *Crust. Ins.* 2 : 114.

Acanthopterus GUÉRIN, 1844, *Icon. règne anim., Ins.* : 223.

Cyclodera WHITE, 1846, *Stokes Voy.* 1 : 510.

Philagathes THOMSON, 1864, *Syst. Céramb.* : 196.

Purpuricenus laetus THOMSON

THOMSON, 1864, *Syst. Céramb.* : 197.

Nyandu Bush, 22-XI-1961, leg. VÁRI et RORKE (1 ♂); Punda Milia, 1/5-XII-1964, leg. VÁRI et POTGIETER (3 ♂♂).

Distr.—South Africa.